

END OF LINE
available until
31/05/2023

this product will be replaced
by the new camera model

TARGA760

AVAILABLE FROM 1st JUNE 2023

TARGA 750

 **SELEA**
www.selea.com



Video surveillance camera with automatic license plate
and KEMLER tables reading (OCR) for an effective and
integrated urban security.

99.8

the accuracy of reading
plates on double lane

3

the integrated OCR
algorithms

Smart City
Smart Parking
Urban Security

**20
22**

TARGA 750




SAVE MONEY

Savings on installation, devices and connections




DUAL CAMERA

OCR Sensor + built-in colour context sensor (optional)



DUAL LANE

Licence plate reading and video analysis synchronized on two lanes



If you purchase the camera complete with a D8 or D12 context sensor, you will receive a complimentary license of the CPS 5.0 *Brand, Model, Colour and Class* recognition video analysis. This allows the powerful video analysis of the CPS software to be combined with the excellent performance of the camera.



BRIGHT AND SHARP IMAGES EVEN AT NIGHT

Thanks to Selea's special *Night Vision* colour sensor, the images of moving objects become incredibly sharp, to the point that the vehicle's licence plate number can be read with the naked eye, thus eliminating the typical night-time trailing effect of surveillance cameras.



CERTIFICATIONS & SECURITY

Both the software and the camera are ISDP10003 certified - Privacy by design and Privacy by default, which guarantees the attention that has been placed on GDPR regulations and data protection of the complete license plate reading system (software + hardware).



FOG-FIGHTER NIGHT & DAY

Selea cameras are equipped with the special *FogFighter* function to read and recognize licence plates when there is dense fog, both day and night.

HARDWARE FEATURES OF THE CAMERA

Sensor	
OCR sensor	3,2 Megapixel, Global Shutter, CMOS B/N, frame rate of 60 Fps
Context colour sensor	<ul style="list-style-type: none"> • optional -> 5 Megapixel, CMOS Rolling Shutter • optional -> 2 Megapixel Night Vision CMOS with high sensitivity
Lens	
OCR lens	12 ~ 40 mm varifocal lens with F1.8 and C/CS mount.
Context lens	8 or 12mm fixed lens with IR filter for panoramic view.
Illuminator	
Pulsed light IR Illuminator	n.12 high power 820 nm/47° IR LEDs (940 nm on request) that are compliant with the EN62471:2008 standard on photobiological safety.
Internal memory	
Typology and expandability	<ul style="list-style-type: none"> • built-in -> 16 GB Hight Endurance (-40° ~ + 85°C) industrial microSD SLC memory card (expandable on request up to 256 GB of MLC type). • The memory can be expanded using the USB interface provided to connect storage disks of high capacity currently available on the market (≤ 1TB - optional)
Input/Output	
Input	<ul style="list-style-type: none"> • n.2 digital inputs • interface for PM2,5/10 Air Quality sensors (model AVPM10/25 or similar) <i>Image acquisition and processing can also be activated by a digital command or through a network connection.</i>
Output	<ul style="list-style-type: none"> • n.1 RS232 - RS485 interface • n.1 10A - 250 Vac, 30 Vdc volt-free contact relays
Ports	
USB	n.4 USB ports
Ethernet	10/100 Mbps LAN
Power supply	
Power supplies	<ul style="list-style-type: none"> • 230 Vac power supply • 24 Vdc on request or POE+ (option T)
Absorbed power	18 Watt max
Inbuilt protection	
The camera is protected against:	<ul style="list-style-type: none"> • reverse polarity. • voltage fluctuations greater than 30 Vdc. • overloads with thermal protection. • overvoltages (TVS) on USB and Ethernet ports.

HARDWARE FEATURES OF THE CAMERA

Certifications

OCR	<ul style="list-style-type: none"> • 100% accuracy according to UNI 10772:2016 class A parameters for rear, two-line, motorcycle and moped number plates.
Data security	<ul style="list-style-type: none"> • ISDP10003:2018 - <i>Privacy by Default & Privacy by Design</i>

Standards

Respected standard	<ul style="list-style-type: none"> • EN62471 • EN55032 • EN55035 • EN61000 • EN62368-1 • EN60529 • EN60068 • EN60721 • European standard RoHS2 - 2011/65/UE
--------------------	--

General

Operating temperature	From -40°C to +65 °C without the need of fans or heaters.
Protection rating	Standard IP66 (on request IP67 and IK10)
Dimension (mm)	L=165 : H=122; D=470
Weight	3,2 Kg

SOFTWARE FEATURES OF THE CAMERA

Embedded algorithms	
Standard built-in functions	<ul style="list-style-type: none"> • License plate reading (OCR) - reading characters of over 50 countries • ADR dangerous goods tables reading (Kemler/ONU) • Fog-Fighter (reading license plates in the fog) • Dirt elimination • Predictive character analysis • Angle compensation • Magic spot
Data communications	
Integrated webserver	<ul style="list-style-type: none"> • Onvif communication protocol. • Save data directly to local server or remote NAS. • Integration with third party VMS software solutions. • Synchronized recording of metadata, number plate/Kemler table and context image. • Context images synchronised with number plate/Kemler table. • Dynamic creation and updating of multiple lists (black/white). • Integration and HTTP storage of JPEG snapshot images of external TCP/IP context cameras of any make or model. • Multiple action alarm management. • Differentiated alarms for each type of infringement. • Alarm-triggered transmission of the image associated with the captured number plate to remote devices (such as MOTOROLA and HYTERA mobile radio communication equipment, Tablet etc.) with vocal reception of the number plate. • Double (triple on request) FTP and/or TCP/IP server.
Protocols	TCP/IP, UDP, HTTP, HTTPS, FTP, FTPS, RTP/RTSP, DHCP.
Other integrated protocols	<ul style="list-style-type: none"> • MODBUS (built-in) • Wiegand, OSDP (optional)
Data security	
Data protection	<ul style="list-style-type: none"> • HTTPS encryption. • FTPS (FTP over TLS/SSL) encryption. • Micro SD memory encryption. • Automatic deletion of data and images after specified period of time (privacy management). • AES256 Advanced Encryption Standard. • SHA2 Secure Hash Algorithm 2.
Video output	
OCR sensor	3,2 Megapixel Jpeg images and HD RTP/RTSP video stream with MPEG4 e H264 encoding.
Context sensor	Images and RTP/RTSP or HTTP video stream with MPEG4 e H264 encoding.

SOFTWARE FEATURES OF THE CAMERA

Functionality


Operating system	<ul style="list-style-type: none"> Linux Embedded
Standard built-in functions	<ul style="list-style-type: none"> Embedded FPGA video signal processing. Double FTP server and double IP notification server. Dynamic FTP notification forwarding customization. IP notification customization. Multiple user management using HTTPS protocol protected access credentials for accessing the camera. List management (white/black, no list) with independent actions for each list. Synchronized recording of metadata and captured code/number plate image. Integration and saving of context camera images. Privacy management with automatic deletion of image data after a specified period of time. Integration with third party VMS video surveillance software solutions. Save data on a local server or remote NAS. HTTPS security management. FTPS (FTP over TLS/SSL) security management. E-mail forwarding security using TLS/SSL protocol. Multiple action alarm management. Live and check control function for checking the operation of the entire system. Synchronization of date and time via NTP, IEEE1588 protocol. Possibility of updating firmware from a web page.

Accuracy

OCR accuracy	<ul style="list-style-type: none"> Up to 99,8% of transits. Up to 98% of oncoming ADR plate (Kemler-UN) reading transits, 100% accuracy according to UNI 10772:2016 class A parameters for rear, two-line, motorcycle and moped number plates. 200 Km/h maximum capture speed
--------------	---

ACCESSORIES

D8 D12	Colour sensor CMOS Rolling Shutter, 5 Megapixels resolution, fitted with an 8 or 12 mm fixed focus lens with an M12 mount. We recommend using the sensor only in daylight or with street lighting.
NOTE - If you purchase Targa750 along with D8 or D12 option, you will get video analytics plugin(make, model, colour and class recognition) for CPS software free of charge (product code: E-CPSMEMVA)	
N8 N12	Colour sensor CMOS Rolling Shutter, Night Vision with high sensitivity and Full HD resolution, fitted with an 8 or 12 mm fixed focus lens with an M12 mount. We recommend using the sensor even in poor public lighting conditions.
W	Wiegand serial interface for the integration with many access control systems.
B	Power supply from 10 to 32 Vdc.
T	PoE+ (Power Over Ethernet Plus) power supply including high power injector.
Z	Natural white light, replacing the standard IR illuminator, for reading car plates with red characters.





ACCESS
CONTROL



URBAN
SECURITY



SPECIAL
PRODUCTS



SOFTWARE
SOLUTIONS



TRAINING
COURSES



ACCESSORIES
SPARE PARTS

SELEA SRL

Via Aldo Moro, 69
46019 Cicognara (MN)
PIVA 01811290202
Tel +39 0375 88.90.91
Fax +39 0375 88.90.80

www.selea.com
infocom@selea.com

WHERE TO BUY

Selea has a network of authorised Distributors throughout the country with whom it establishes design and market

SUPPORT

We provide both a pre-sales and an after-sales technical support service to customers.

All trademarks included in this document belong to their legitimate owners; third party brands, product names, trade names, corporate and company names mentioned may be trademarks of their respective owners or trademarks registered by other companies and have been used for explanatory purposes and for the benefit of the owner, without any intent to infringe Copyright.

About us

SELEA is specialized in the manufacture of number plate reading solutions, both for vehicle access control and for territorial security and traffic control. All of our products are developed and manufactured entirely in Italy. This means that our customers benefit from continuous and comprehensive technical support.

The experience accumulated in over 10 years of collaboration with various law enforcement agencies on video surveillance and license plate reading systems, give us today the opportunity to offer solutions capable of guaranteeing excellent results, and advanced tools for the repression and prevention of crimes (search for accomplices, stolen vehicles, vehicles without insurance/roadworthiness certificate, traffic analysis, and much more). These products can be part of an integrated urban security system, allowing the sharing of information between law enforcement and smart cities.

- HARDWARE MANUFACTURING
- SOFTWARE DEVELOPMENT
- IN-HOUSE RESEARCH & DEVELOPMENT
- 100% MADE in ITALY by SELEA

